



C&D ELETTRONICA SRL

BERGAMO 24126
Via Oprandi, 17
Tel. 035 199 55 011
Fax 035 199 55 099

E-COMMERCE
www.cedelettronica.com
E-MAIL
mail@cedelettronica.com
cedelettronica@pec.it

WWW.CEDELETRONICA.COM



LABORATORIO EMC
PROVE DI COMPATIBILITA'
ELETTROMAGNETICA



WWW.MTEK.IT

C.F. 00895950160
P.IVA IT00895950160

Cap. Soc. 500.000,00 Euro i.v.
R.E.A. BG-180921



Registro A.E.E. n.IT0802000003208
Registro PILE n. IT16010P00003973



Raspberry Pi 5

Raspberry 2026

Raspberry - Board



MB Raspberry PI5 B 16GB-RAM VII RSP5G16

2xUSB3/2x uHDMI/uSD/Gb LAN/2x MIPI

Raspberry Pi 5 Model B, Broadcom BCM2712, ARM Cortex-A76 64 bit, 16GB, 2,4GHz, Bluetooth 5.0 BLE

CPU quad-core ARM Cortex-A76 da 2,4 GHz (2-3 volte più veloce del predecessore)

1
€ 439,04

2+
€ 421,89

(KCMR1516)



KIT Raspberry PI5 B 8GB-RAM RSP5G8K

Raspberry Pi è un PC in miniatura basato su ARM che può essere utilizzato per molte applicazioni. Questo progetto open-source è la piattaforma ideale per ulteriori sviluppi e particolarmente adatto all'integrazione in applicazioni esistenti.

Fogli di calcolo, elaborazione di testi e giochi non sono estranei al Raspberry, così come la riproduzione di video HD. Iniziate subito!

1
€ 267,52

2+
€ 257,07

(KCMR1515K)



MB Raspberry PI5 B 8GB-RAM VII RSP5G8

Raspberry Pi 5 Model B, Broadcom BCM2712, ARM Cortex-A76 64 bit, 8GB, 2,4GHz, Bluetooth 5.0 BLE

- GPU VideoCore VII

- 4 GB o 8 GB di SDRAM LPDDR4X-4267

- 2x USB 3.0 con velocità fino a 5 Gb/s, USB Tipo-C @ 5V/5A

1
€ 218,40

2+
€ 204,36

(KCMR1515)



MB Raspberry PI5 B 4GB-RAM VII RSP5G4

Raspberry Pi 5 Model B, Broadcom BCM2712, ARM Cortex-A76 64 bit, 4GB, 2,4GHz, Bluetooth 5.0 BLE

- GPU VideoCore VII

- 4 GB o 8 GB di SDRAM LPDDR4X-4267

- 2x USB 3.0 con velocità fino a 5 Gb/s, USB Tipo-C @ 5V/5A

1
€ 132,30

2+
€ 126,42

(KCMR1510)



Board ROCK 4C+ 4GB-RAM 4k ROCK4C+

ROCK 4C+ è un computer single-board affidabile, multifunzionale e ad alte prestazioni basato su un robusto SoC Rockchip RK3399T, con CPU Dual Cortex® A72 e GPU Arm Mali™ T860MP4. Sviluppata da OKdo Technology in collaborazione con Radxa, questa scheda racchiude funzionalità di prim'ordine adatte a molteplici applicazioni multimediali e industriali, garantendo una straordinaria affidabilità.

1
€ 92,50

2+
€ 88,79

(KCMR1451)



BBC MICRO:BIT V2 GO set nRF52833 MBV2S

Il computer tascabile che sta cambiando il mondo. Ecco il nuovo micro:bit v2, ora con un microfono e altoparlante aggiunto per l'apprendimento audio fin da subito. L'hardware include anche un numero di upgrade tecnici per garantire che in futuro il dispositivo rimanga uno strumento ideale per esplorare, comprendere e sperimentare con l'intelligenza artificiale e il machine learning, man mano che queste tecnologie iniziano a

1+
€ 29,52

3+
€ 25,42

(KCMR1410)

I prezzi sono indicativi, soggetti a variazione, I.V.A. esclusa. Le immagini sono puramente indicative.
Tutti i marchi sono di proprietà delle aziende produttrici e sono tutelati dalle leggi sul copyright.

Raspberry - Board



KIT Raspberry Pi 4 B 4G-DDR4 RSP4G4K

- M/B Raspberry Pi 4 B Bundle con 4 GB DDR4
- Alimentatore 5,1Vdc 3A USB-C RASPBERRY PI4 KSA4
- CASE di alta qualità e facile assemblaggio
- microSD da 16GB (Classe 10) con NOOBS preinstallata (7 sistemi operativi) Windows 10 IoT Core, Raspian, Arch Linux, OpenELEC, Pidora, RISC OS e RaspBMC

1
€ 121,44

2+
€ 115,92

(KCMR1391K)



MB Raspberry Pi 4 B 4GB-RAM 4k RSP4G4

2xUSB3/2x uHDMI/uSD/Gb LAN/40GPIO/BT5
RASPBERRY PI -- PI4 MODEL B/4GB RAM
New Raspberry Pi 4 B - 1.5 GHz ARM Cortex-A72 Quad Core CPU

1
€ 91,08

2+
€ 86,94

(KCMR1391)



MB Raspberry Pi 4 B 2GB-RAM 4k RSP4G2

2xUSB3/2x uHDMI/uSD/Gb LAN/40GPIO/BT5
RASPBERRY PI -- PI4 MODEL B/2GB RAM
New Raspberry Pi 4 B - 1.5 GHz ARM Cortex-A72 Quad Core CPU

1+
€ 53,60

3+
€ 51,16

(KCMR1386)

Raspberry - Shield




Shield Raspberry RPI-TV-UHAT - TV HAT

With the Raspberry Pi TV HAT, you can receive digital terrestrial TV (DVB-T / DVB-T2) on your existing Raspberry Pi or stream it to other devices over your network.

1+
€ 22,28

3+
€ 21,70

(KCMR14TV)



Scheda BreadBoard Power 3.3/5V POW-BB

The Bread Power—extension-board can extend your breadboard with a power supply by simply attaching it. Attached to a breadboard, it can include a power supply between 6V and 12V, or an USB-connection. While using another power-supply, the USB-Port can also be used as output. The output-voltage to the breadboard can be set to 0V, 3.3V and 5V.

1+
€ 6,40

5+
€ 5,28

(KCMR1390)



Kit stepper Raspberry Pi RB-Moto2 RBM2

JOY-IT CONTROLLER + 2 MOTORI PASSO-PASSO
Kit per Raspberry/Raspberry Pi. Comprende una scheda di controllo e 2 motori passo-passo.
La scheda è già assemblata e può essere collegata direttamente al Raspberry.

1+
€ 12,29

5+
€ 11,81

(KCMR1160)

Raspberry - Lcd



Display 10.1" IPS HDMI MultiTouch RB102

JOY-IT 1280x800HDMI/VGA/AV/BNC/USB 12Vdc
Display MultiTouch per Raspberry Pi® RB-LCD-10-2 Nero opaco
Il nuovo display touch da 10" con alloggiamento in metallo di Joy-IT è un tuttore robusto e adatto a tanti diversi ambiti di applicazione.
Si contraddistingue in particolare per la sua robusta lavorazione. L'alloggiamento in

1
€ 240,00

2+
€ 198,00

(LMLM1128)

Raspberry - Lcd



Display 10" touchscreen front panel LCD103

JOY-IT 1280x800 HDMI/VGA/AP MMEDIA 5-24V
10.1" IPS TOUCHSCREEN-LCD

Touchscreen display for professional and industrial installation

Our 10.1" IPS touch screen display has been specially developed for professional

1
€ 220,00

2+
€ 181,50

(LMLM1135)



Display 7" HDMI Raspberry touchscreen RB7

JOY-IT HDMI-1024x600 16/10- MULTITOUCH 5x

- Resolution: 1024 x 600
- Supported devices: Raspberry Pi A+ / B+ / 2B / 3B, Banana Pi, Banana Pro, Windows PCs
- Connections: HDMI, micro-USB
- Touch controller: GT811

1+
€ 76,80

3+
€ 69,60

(LMLM1125)



Display 7" touchscreen per Raspberry PI

Il Raspberry Pi ha un proprio personalissimo touch screen LCD. Dopo alcuni anni di sviluppo, Raspberry Pi Foundation è in grado di darvi lo schermo perfetto per il vostro Pi, senza alcun compromesso. La configurazione è facile e veloce. La scheda adattatore e il Pi sono montati sul lato posteriore del display LCD con i fissaggi basilari forniti; il cavo ribbon DSI fornisce l'interfaccia di visualizzazione tra Pi e gruppo LCD.

1
€ 76,56

2+
€ 73,08

(KCMR1353)



Display 3.5" touchscreen per Raspberry TFT3.5

RB-TFT3.5 - touch x Raspberry 480x320 GPIO

With the 3.5 Inch TFT Touchscreen-Display you can easily build a Mini-Tablet-PC based on an Raspberry Pi. Resistive Touch Screen, Single Touch

The display, with a maximum resolution of 480x320 pixels, can be attached to the GPIO connections so that you won't need any mounting-skills.

1+
€ 28,80

3+
€ 24,80

(KCMR1359)



Display 1" OLED I2C per Raspberry/AR OLED1

I²C - SSD1306-128x64px RASPBERRY/ARDUINO

This high-quality 0.96" OLED display with a resolution of 128 x 64 pixels has a high contrast, a wide viewing angle, low power consumption and a very compact design, and it communicates via an I²C interface.

1+
€ 5,64

5+
€ 5,42

(KCMR1343)

Raspberry - Sensori



RPI Analog>Digital Converter 4ch ADC01

16bit ADS1115 PROGRAMMABLE 8 to 860 SPS

With the help of the RB-ADC01 you can read analog data with your Raspberry Pi. The 16-bit chip ADS1115 is an analog to digital converter that processes the analog signal to digital data and sends it via I2C bus to the Raspberry Pi.

1+
€ 12,42

5+
€ 10,70

(KCMR1445)



Kit 37 sensori in 1 per Raspberry/Arduino

Confezione contenente i seguenti 37 sensori da utilizzare per robotica, Arduino, Raspberry, ecc.

Dimensioni confezione (mm): 275x180x45, peso: 381 grammi.

1+
€ 17,14

3+
€ 16,04

(SDAVSEN371)



Kit 9 sensori gas per Raspberry/Arduino

KIT di 9 sensori gas:

MQ-2 MQ-3 MQ-4 MQ-5 MQ-6 MQ-7 MQ-8 MQ-9 MQ-135 1pz per modello

1+
€ 20,00

3+
€ 18,71

(SDAVKSEGAS)

I prezzi sono indicativi, soggetti a variazione, I.V.A. esclusa. Le immagini sono puramente indicative.
Tutti i marchi sono di proprietà delle aziende produttrici e sono tutelati dalle leggi sul copyright.



Contenitore per Raspberry 5 con display 7" TFT7C5

RB-LCD-7P5-CASE + DISSIPATORE E VENTOLA

Our specially designed acrylic case offers a perfect solution for users who want to use the original Raspberry 7-inch display in combination with the new Raspberry Pi 5. This bespoke case allows you to create your own customized Tablet PC with ease. It has been

1+
€ 26,00

3+
€ 21,45
(KCMR1350)



Contenitore per Raspberry Pi4 multimedia IR RPMM4

CASE MAGNETICO Multimediacase +IR

1x USB-C, 1x Aux, 2x microHDMI, 2x USB3.0, 2x USB2.0 1x RJ45 -- 4x WS2812Mini -- Infrared receiver TSOP4838

Joy-IT multimedia case for all Pi 4 models is characterized by high functionality, modern design and a sumptuous equipment:

1+
€ 24,32

3+
€ 23,37
(KCMR1405)



Telecomando per RPI 4 multimedia IR RPIR4

Remote control x MultimediaCase01

This IR remote control has 21 buttons and is pairable with any IR receiver which is suitable to control devices of Single Board Computer. Comes with button cell battery.

1+
€ 1,35

10+
€ 1,29
(KCMR1406)



Contenitore Alu Raspberry Pi4 con ventole RBAP4F

Case in alluminio per Raspberry Pi

Dissipatore di Calore - Protezione Contro Urti e Calore.

1+
€ 7,56

5+
€ 7,23
(KCMR1393)



Contenitore Alu Raspberry Pi4 con dissipatore RBAP4

JOY-IT RB-AlucaseP4+07 DISSIPATORE NERO

Armor Case "BLOCK" Aluminium Case for Raspberry Pi 4 B

1+
€ 6,90

5+
€ 6,58
(KCMR1392)



Contenitore per Raspberry Pi4 VESA75 alluminio RP4VM

Thanks to the included mounting bracket, which is also suitable for VESA75, you can mount your Raspberry PI on a TV or monitor, on a wall, on or under a table or other objects to save space.

All connections on the Raspberry PI are directly accessible. If necessary, our case offers you the possibility to lead the GPIO port outside with the help of cables.

1+
€ 6,21

5+
€ 5,94
(KCMR1402)



Contenitore Alu Raspberry Pi5 con ventola VESA RP5AL

CASE ALLUMINIO NERO CON VENTOLA VESA75

CONTENITORE IN ALLUMINIO CON VENTOLA ATTIVA per Raspberry Pi 5

RB-AlucaseP5-06B

1+
€ 12,24

5+
€ 10,54
(KCMR1504)



Contenitore rosso per Raspberry PI 3 model B+

Custodia Raspberry Pi 3 modello B+ - assemblaggio in 3 parti - Spazio per schede di espansione

1+
€ 5,00

5+
€ 4,80
(KCMR133RD)



Contenitore su guida DIN per Raspberry PI 3B e 3B+

Contenitore plastico da montare su una guida DIN, con finestra trasparente e appositamente forato per ospitare il prodotto Raspberry PI B+ / 3B e 3B+.
Dimensioni esterne (mm): 90,5x71,3x62.
N.B. il prodotto Raspberry PI non è compreso.

1+
€ 9,52

5+
€ 8,91

(KCMR133DIN)



Contenitore nero per Raspberry PI 3 model B+

Custodia Raspberry Pi 3 modello B+ - assemblaggio in 3 parti - Spazio per schede di espansione

1+
€ 5,63

5+
€ 5,40

(KCMR133BK)



Contenitore trasparente per Raspberry PI 3 model B+

Custodia Raspberry Pi 3 modello B+ - assemblaggio in 3 parti - Spazio per schede di espansione

1+
€ 5,82

5+
€ 5,59

(KCMR133TR)



Contenitore per Raspberry con display 7" JOY-IT TFT7C

The housing has been specifically designed for the 7" HDMI touch display and the Raspberry Pi or Banana Pi. No modifications necessary.

- For Raspberry Pi TFT and Raspberry Pi
- Self-supporting, no holder required
- Mounting holes for all Raspberry, Banana Pi and Beagle Bone Black models

1+
€ 7,94

5+
€ 7,63

(KCMR1356)



Contenitore per Raspberry con display 3.2/3.5" TFT3C

JOY-IT x(B+, 2B, 3B, 4) TRASPARENTE

Build a small Tablet PC based on Raspberry in no time at all.

This case was especially designed for the Raspberry (B+, 2B, 3B, 3B+,4) in combination with our 3.2" V2 & 3.5" Touch Display.

It consists of high-quality, transparent acrylic. Case with exchangeable additional housing

1+
€ 7,50

5+
€ 6,00

(KCMR1361)



Contenitore trasparente per Raspberry PI 2 model B

Raspberry Pi Model B+ Enclosures, Professional

A range of professional-quality cases for the Raspberry Pi Model B+ computer board. Available in three colours: Clear, White and Black.

Three-part clip-together enclosure

Cut-outs for all connectors

1+
€ 5,11

5+
€ 4,98

(KCMR1328)



Raspberry Pi-Controller NES-Design SNES

USB 2.0 gamepad

This USB 2.0 gamepad in the classical design of the SNES console and is compatible to all Raspberry Pi models as well as PCs. It suits perfectly to play old video games from the 80s and 90s.


4 fire buttons, 2 shoulder buttons, 1 control pad, 1 Start- & Select-button.

1+
€ 1,62

10+
€ 1,55

(KCMR1299)

KCMR1292



Raspberry Pi ProtoShield Adapter RE3025

BASETTA FORI PASSANTI STAGNATI 85x56mm

Multi-adapter card compatible with the header of the Raspberry Pi.

- Epoxy fibre-glass FR4, 1.50 mm
- Single-sided 35 µm Cu
- Plated-through (PTH)

1+
€ 7,43

5+
€ 7,24

(KCMR1292)

KCMR1295



Raspberry RPI T-Cobbler Plus 2x20p TCP3

T-Cobbler Plus for the Raspberry Pi
2x 20 pins -- no soldering required

1+
€ 4,00

5+
€ 3,84

(KCMR1295)



Alimentatore 5V 6A 30W guida DIN per Raspberry HDR-60-5

class 2 - IN 85÷264Vac - DIN RAIL
AC-DC Ultra slim DIN rail power supply; Input range 85-264VAC; Output 5VDC at 6.5A; Pass LPS

1+
€ 25,60

3+
€ 23,20

(KCMR1401)



Alimentatore 5.1V 5A USB-C per Raspberry KSA5

EU plug - 27W - 5,1V/9V/12V/15V USB-C PD
Alimentatore switching plug-in ufficiale con uscita USB Type-C per Raspberry Pi e per alimentare una serie di altri dispositivi.
5A @ 5.1V, 3A @ 9V, 2.25A @ 12V 1.84 @ 15V

1+
€ 14,58

3+
€ 13,94

(KCMR1540)



Alimentatore 5.1V 5A USB-C per Raspberry PI5 KSB5

27W - 5,1V/9V/12V/15V USB-C PD

Alimentatore per Raspberry Pi 5, 27 W, GaN, nero
alimentatore di ricambio compatto con spina USB-C™

1+
€ 13,60

5+
€ 11,22

(KCMR1539)



Alimentatore 5V 3A USB-C per Raspberry PI4 KSA4

NERO KSA-15E-051300-HX, EU, BLACK
Raspberry Pi 4 USB-C power supply unit - EU plug
Official plug switch-mode power supply with USB Type-C output for the Raspberry Pi and for powering a variety of other devices.

1+
€ 15,92

5+
€ 13,14

(KCMR1365)



Alimentatore 5.1V 2.5A microUSB per Raspberry PI3 KSB3

EU plug - microUSB x RASPBERRY modello B

1+
€ 15,10

5+
€ 12,46

(KCMR1341)



Alimentatore 5.1V 3A guida DIN per Raspberry PI4

MEANWELL HDR-30-5
class 2 - IN 85÷264Vac - DIN RAIL
30W Ultra Slim Step Shape DIN Rail
directly mounted on the DIN rail
closed design, touch-protected screw connections

1+
€ 19,20

3+
€ 17,40

(KCMR1400)



MicroSD 32GB per Raspberry Pi5BW RPOS32

RASPBERRY PI2B,3B,3B+,4B,5B, Bookworm

Il sistema operativo Raspberry Pi OS Linux preinstallato su una scheda MicroSD da 32 GB (classe 10 / A1).
RASPBERRY PI 2 B, 3 A+, 3 B, 3 B+, 4 B, 5 B.

1+
€ 15,00

5+
€ 12,00

(KCMR1312)



Raspberry 4 Pi Cooling Kit adh 3pz RH3

Raspberry Pi 3/4 Model B/B+ ADESIVO

Self-adhesive heat sinks, high quality material, universal use, simple assembly, passive cooling - -3 heat sinks for perfect protection in difficult temperature environments or when overclocking the CPU

1x large heat sink, 2x small heat sink

1+
€ 1,00

10+
€ 0,96

(KCMR1263)



The technology network for your custom projects

cedelettronica.com