

# Delock Antenna Cable N Plug > RP-SMA Plug CFD200 0.5 m Low Loss

## Description

Use this antenna cable, to connect components of the radio frequency technology together. The RF cable is characterized by a low attenuation.



**Item no. 88937**

EAN: 4043619889372

Country of origin: Taiwan,  
Republic of China

Package: Zip poly bag

## Technical details

- Connectors:
  - 1 x N plug
  - 1 x RP-SMA plug
- Impedance: 50 Ohm
- Cable type: CFD200
- Cable category: coaxial
- Cable attenuation:
  - 0.55 dB @ 2.4 GHz per meter
  - 0.86 dB @ 5.7 GHz per meter
- Cable diameter: 5 mm
- Cable colour: black
- Minimum bending radius: 12.7 mm
- Cable length incl. connectors: ca. 0.5 m

## System requirements

- Device with free N jack or RP-SMA jack

## Package content

- Antenna extension cable

## Images



## Interface

Connector 1:	1 x N male
Connector 2:	1 x RP-SMA plug

## Technical characteristics

Impedance:	50 $\Omega$
------------	-------------

## Physical characteristics

Cable category:	coaxial
Cable type:	CFD200
Cable attenuation:	0.55 dB @ 2.4 GHz per meter 0.86 dB @ 5.7 GHz per meter
Cable colour:	black
Cable length incl. connectors:	0.5 m
Pin finishing:	gold-plated
Smallest bending radius:	12.7 mm
Cable diameter:	5 mm

## Manufacturer information

Street	Beeskowdamm 13/15
Postal code	14167
City	Berlin
Country	Deutschland
E-Mail	info@delock.de
Website	www.delock.de